Under the assumption that natural immunity is strictly an evolutionary set of traits selected from the survivors of past epidemics, the relationship between the host population and the disease can be modeled as a coupled, non-linear evolutionary system.

Under this assumption, natural selection does not produce a single, permanent static equilibrium. Instead, the system typically reaches one of two primary states of equilibrium: a **Dynamic Oscillatory Equilibrium (The Red Queen Limit Cycle)** or a **Static Endemic Coexistence Sink**.

---

1. Mathematical Representation of the Selection System

To analyze these states, we define the coupled dynamical equations of the host and the disease: * Let $R(t) \geq 0$ represent the average genetic resistance (natural immunity) of the host population, which is passed on exclusively by the survivors of past epidemics. * Let $V(t) \geq 0$ represent the virulence/infectivity of the disease. * Let $I(t) \geq 0$ represent the active disease prevalence (the density of the epidemic).

Equation 1: Host Resistance Selection The rate of change of average population resistance is driven by selective mortality during active epidemics:

$$\frac{dR}{dt} = \gamma_R I(V - R) - c_R R$$

- **The Selection Term ($\gamma_R I(V - R)$):** This term represents your core assumption. When an epidemic is active ($I > 0$), selective mortality occurs. If the disease's infectivity exceeds the host's current resistance ($V > R$), non-resistant individuals die, and only survivors with higher resistance traits reproduce, driving R upward.
- **The Biological Cost ($-c_R R$):** Maintaining a highly active genetic defense carries a metabolic or viability cost. In the absence of the disease ($I \to 0$), individuals with lower resistance have a slight reproductive advantage, causing the average population resistance to slowly decay at rate c_R.

Equation 2: Pathogen Adaptation The disease agent also evolves to overcome host resistance:

$$\frac{dV}{dt} = \gamma_V I(R - V) - c_V V$$

where c_V represents the viability cost to the disease of maintaining high virulence/infectivity.

Equation 3: Epidemic Spread The rate of disease spread depends on the deficit between the pathogen's infectivity and the host's resistance:

$$\frac{dI}{dt} = \beta(V - R)I(1 - I) - dI$$

where β is the transmission coefficient and d is the recovery/death rate.

---

2. The Two States of Equilibrium

State A: Dynamic Oscillatory Equilibrium (The Limit Cycle) Because of the phase lag between selective host mortality (which requires generations of reproduction to shift the population traits) and the faster mutation rate of the disease, the system typically does not settle into a flat, static value. Instead, it reaches a **dynamic, cyclic equilibrium** (a limit cycle in the phase space of R, V, I):

```
[ Phase 1: Epidemic Surge (I up) ] ---> [ Phase 2: Host Selection (R up) ]
                ^                                          |
                |                                          v
[ Phase 4: Pathogen Re-emergence ] <--- [ Phase 3: Resistance Decay (R down) ]
```

- **Phase 1 (The Epidemic):** A high prevalence of disease ($I \uparrow$) drives intense selective mortality.
- **Phase 2 (Selection of Survivors):** Only hosts with superior resistance traits survive to reproduce, causing population-wide natural immunity to rise ($R \uparrow$).
- **Phase 3 (Disease Suppression):** Once the average host resistance exceeds the pathogen's infectivity ($R > V$), the transmission rate falls below the recovery rate, and the epidemic subsides ($I \downarrow$).
- **Phase 4 (Decay of Resistance):** With the disease suppressed ($I \approx 0$), the selection pressure on the host vanishes. Due to the biological cost of maintaining the genetic defense ($c_R R$), the average resistance of the population slowly decays ($R \downarrow$). Once R falls below V, the disease re-emerges, starting the cycle anew.

This dynamic equilibrium is a stable, self-correcting loop where both species persist through continuous co-evolutionary oscillation.

State B: Static Endemic Coexistence Sink If the biological cost of maintaining the genetic resistance is negligible ($c_R \to 0$), the system can settle into a static, non-oscillating equilibrium.

By setting the dynamical equations to zero ($\frac{dR}{dt} = 0$, $\frac{dV}{dt} = 0$, $\frac{dI}{dt} = 0$), the system converges to a stable endemic state:

$$V^* \approx R^*$$

$$I^* = \frac{d}{\beta}$$

In this state: * The average host resistance permanently stabilizes to match the pathogen's infectivity. * The disease no longer triggers periodic, explosive epidemics. Instead, it persists as a constant, low-level endemic background pressure (I^*). * The selective mortality rate exactly balances the rate of reproduction of susceptible individuals, creating a flat, stable co-existence.